

II. AMENDMENTS TO THE CLAIMS:

Kindly amend claims 1-8, 12-14 and 18, and add new claims 29-40 as follows.

The following listing of claims replaces all prior listings, or versions, of claims in the above-captioned application.

LISTING OF CLAIMS:

1. (Currently Amended) A reducer of blood glucose level increase, comprising:
5 g or more of isomaltulose per 60 kg of body weight of an individual~~palatinose~~ as an active ingredient; and
one or more components selected from the group consisting of a pharmaceutical ingredient and a carrier,
wherein when said reducer is ingested by an individual before or after or simultaneously with consuming a carbohydrate having an α -1,6-glucosyl bond ratio of from 0% to less than 50% relative to the total bonds among constituent saccharides, said reducer reduces an increase in blood glucose level of the individual caused by consuming said carbohydrate.

2. (Currently Amended) A reducer of blood glucose level increase, comprising:
5 g or more of isomaltulose per 60 kg of body weight of an individual~~palatinose~~ as an active ingredient; and
one or more components selected from the group consisting of a pharmaceutical ingredient and a carrier,
wherein when said reducer is ingested by an individual before or after or simultaneously with consuming at least one foodstuff selected from the group consisting of

sucrose, wheat flour, starch, dextrin and high fructose corn syrup, said reducer reduces an increase in blood glucose level of the individual caused by consuming said foodstuff.

3. (Currently Amended) A reducer of blood glucose level increase, comprising:
5 g or more of isomaltulose per 60 kg of body weight of an individual~~palatinose~~ as an active ingredient; and
one or more components selected from the group consisting of a pharmaceutical ingredient and a carrier,

wherein when said reducer is ingested by an individual before or after or simultaneously with consuming food, said reducer reduces an increase in blood glucose level of the individual caused by consuming said food.

4. (Currently Amended) A reducer of body fat accumulation, comprising:
10 g or more of isomaltulose per 60 kg of body weight of an individual~~palatinose~~ as an active ingredient; and
one or more components selected from the group consisting of a pharmaceutical ingredient and a carrier,

wherein when said reducer is ingested by an individual before or after or simultaneously with consuming a carbohydrate having an α -1,6-glucosyl bond ratio of from 0% to less than 50% relative to the total bonds among constituent saccharides, said reducer reduces body fat accumulation resulting from an increase in blood glucose level and insulin secretion of the individual caused by ingesting said carbohydrate.

5. (Currently Amended) A reducer of body fat accumulation, comprising:

10 g or more of isomaltulose per 60 kg of body weight of an individual~~palatinose~~ as
an active ingredient; and

one or more components selected from the group consisting of a pharmaceutical
ingredient and a carrier,

wherein when said reducer is ingested by an individual before or after or
simultaneously with consuming at least one foodstuff selected from the group consisting of
sucrose, wheat flour, starch, dextrin and high fructose corn syrup, said reducer reduces body
fat accumulation resulting from an increase in blood glucose level and insulin secretion of the
individual caused by consuming said foodstuff.

6. (Currently Amended) A reducer of body fat accumulation, comprising:

10 g or more of isomaltulose per 60 kg of body weight of an individual~~palatinose~~ as
an active ingredient; and

one or more components selected from the group consisting of a pharmaceutical
ingredient and a carrier,

wherein when said reducer is ingested by an individual before or after or
simultaneously with consuming food, said reducer reduces body fat accumulation resulting
from an increase in blood glucose level and insulin secretion of the individual caused by
consuming said food.

7. (Currently Amended) A food material comprising:

5 g or more of isomaltulose per 60 kg of body weight of an individual~~palatinose~~; and
a foodstuff composed of a carbohydrate having an α -1,6-glucosyl bond ratio of from
0% to less than 50% relative to the total bonds among constituent saccharides; and

one or more components selected from the group consisting of a pharmaceutical ingredient and a carrier,

wherein said food material reduces blood glucose level increase for an individual caused by consuming said foodstuff.

8. (Currently Amended) A food material comprising:

5 g or more of isomaltulose per 60 kg of body weight of an individual~~palatinose; and~~

at least one foodstuff selected from the group consisting of sucrose, wheat flour, starch, dextrin and high fructose corn syrup; and

one or more components selected from the group consisting of a pharmaceutical ingredient and a carrier,

wherein said food material reduces blood glucose level increase for an individual caused by consuming said foodstuff.

9. (Previously Presented) A food material according to Claim 8,

wherein said food material is used as a sweetener and said foodstuff is at least one foodstuff selected from the group consisting of sucrose and high fructose corn syrup.

10. (Previously Presented) A food material according to Claim 8,

wherein said food material is used as a premix material and said foodstuff is at least one foodstuff selected from the group consisting of sucrose, wheat flour, starch and dextrin.

11. (Original) A food material according to Claim 8,

wherein said food material is used as a powdery drink and said foodstuff is sucrose.

12. (Currently Amended) A food material according to Claim 7,
wherein the weight (A) of said ~~palatinose~~isomaltulose has a ratio of 10% or more
relative to the total weight (B) of carbohydrate contained in said food material, and said
~~palatinose~~isomaltulose is combined so that said ~~palatinose~~isomaltulose is ingested by 5g or
more per 60kg of body weight of the individual ingesting the food material.

13. (Currently Amended) A food material comprising:
10 g or more of isomaltulose per 60 kg of body weight of an individual~~palatinose~~;
and
a foodstuff composed of a carbohydrate having an α -1,6-glucosyl bond ratio of from
0% to less than 50% relative to the total bonds among constituent saccharides; and
one or more components selected from the group consisting of a pharmaceutical
ingredient and a carrier,
wherein said food material reduces body fat accumulation resulted from the increase
in blood glucose level and insulin secretion of an individual caused by consuming said
foodstuff.

14. (Currently Amended) A food material comprising:
10 g or more of isomaltulose per 60 kg of body weight of an individual ~~palatinose~~;
and
at least one foodstuff selected from the group consisting of sucrose, wheat flour,
starch, dextrin and high fructose corn syrup; and
one or more components selected from the group consisting of a pharmaceutical
ingredient and a carrier,

wherein said food material reduces body fat accumulation resulting from an increase in blood glucose level and insulin secretion of an individual caused by consuming said foodstuff.

15. (Previously Presented) A food material according to Claim 14,
wherein said food material is used as a sweetener and said foodstuff is at least one foodstuff selected from the group consisting of sucrose and high fructose corn syrup.

16. (Previously Presented) A food material according to Claim 14,
wherein said food material is used as a premix material and said foodstuff is at least one foodstuff selected from the group consisting of sucrose, wheat flour, starch and dextrin.

17. (Original) A food material according to Claim 14,
wherein said food material is used as a powdery drink and said foodstuff is sucrose.

18. (Currently Amended) A food material according to Claim 13,
wherein the weight (A) of said ~~palatinose~~isomaltulose has a ratio of 20% or more relative to the total weight (B) of carbohydrate contained in said food material, and said ~~palatinose~~isomaltulose is combined so that said ~~palatinose~~isomaltulose is ingested by 10g or more per 60kg of body weight of the individual ingesting the food material.

19. (Withdrawn) A method for reducing blood glucose level increase, the method comprising the steps of:

providing a reducer of blood glucose level increase as recited in Claim 1; and

having an individual ingest the reducer of a blood glucose level increase, wherein the individual ingests the reducer before or after or simultaneously with consuming a carbohydrate having an α -1,6-glucosyl bond ratio of from 0% to less than 50% relative to the total bonds among constituent saccharides.

20. (Withdrawn) A method for reducing blood glucose level increase, the method comprising the steps of:

providing a food material as recited in Claim 7; and

having an individual ingest the food material or a food prepared by processing said food material, wherein the food material reduces blood glucose level increase for an individual caused by consuming said foodstuff of the food material or said foodstuff of the food prepared by processing the food material.

21. (Withdrawn) A method for reducing body fat accumulation, the method comprising the steps of:

providing a reducer of body fat accumulation as recited in Claim 4; and

having an individual ingest the reducer of body fat accumulation, wherein the individual ingests the reducer before or after or simultaneously with consuming a carbohydrate having an α -1,6-glucosyl bond ratio of from 0% to less than 50% relative to the total bonds among constituent saccharides.

22. (Withdrawn) A method for reducing body fat accumulation, the method comprising the steps of:

providing a food material as recited by Claim 13; and

having an individual ingest the food material or a food prepared by processing the food material, wherein the food material reduces body fat accumulation resulting from an increase in blood glucose level and insulin secretion of an individual caused by consuming the foodstuff.

23. (Withdrawn) A method for reducing blood glucose level increase, the method comprising the steps of:

providing a reducer of blood glucose level increase as recited in Claim 2; and

having an individual ingest the reducer of a blood glucose level increase, wherein the individual ingests the reducer before or after or simultaneously with consuming at least one foodstuff selected from the group consisting of sucrose, wheat flour, starch, dextrin and high fructose corn syrup.

24. (Withdrawn) A method for reducing blood glucose level increase, the method comprising the steps of:

providing a reducer of blood glucose level increase as recited in Claim 3; and

having an individual ingest the reducer of a blood glucose level increase, wherein the individual ingests the reducer before or after or simultaneously with consuming food.

25. (Withdrawn) A method for reducing blood glucose level increase, the method comprising the steps of:

providing a food material as recited in Claim 8; and

having an individual ingest the food material or a food prepared by processing the food material, wherein the food material reduces blood glucose level increase for an

individual caused by consuming said foodstuff of the food material or said foodstuff of the food prepared by processing the food material.

26. (Withdrawn) A method for reducing body fat accumulation, the method comprising the steps of:

providing a reducer of body fat accumulation as recited in Claim 5; and

having an individual ingest the reducer of body fat accumulation, wherein the individual ingests the reducer before or after or simultaneously with consuming at least one foodstuff selected from the group consisting of sucrose, wheat flour, starch, dextrin and high fructose corn syrup.

27. (Withdrawn) A method for reducing body fat accumulation, the method comprising the steps of:

providing a reducer of body fat accumulation as recited in Claim 6; and

having an individual ingest the reducer, wherein the individual ingests the reducer before or after or simultaneously with consuming food.

28. (Withdrawn) A method for reducing body fat accumulation, the method comprising the steps of:

providing a food material as recited by Claim 14; and

having an individual ingest the food material or a food prepared by processing the food material, wherein the food material reduces body fat accumulation resulting from an increase in blood glucose level and insulin secretion of an individual caused by consuming the foodstuff.

29. (NEW) A reducer of blood glucose level increase according to Claim 1, wherein the one or more components include a carrier, and the carrier is a gum.

30. (NEW) A reducer of blood glucose level increase according to Claim 1, wherein the one or more components include a pharmaceutical ingredient, and the pharmaceutical ingredient is a vitamin.

31. (NEW) A reducer of blood glucose level increase according to Claim 2, wherein the one or more components include a carrier, and the carrier is a gum.

32. (NEW) A reducer of blood glucose level increase according to Claim 2, wherein the one or more components include a pharmaceutical ingredient, and the pharmaceutical ingredient is a vitamin.

33. (NEW) A reducer of blood glucose level increase according to Claim 3, wherein the one or more components include a carrier, and the carrier is a gum.

34. (NEW) A reducer of blood glucose level increase according to Claim 3, wherein the one or more components include a pharmaceutical ingredient, and the pharmaceutical ingredient is a vitamin.

35. (NEW) A reducer of blood glucose level increase according to Claim 4, wherein the one or more components include a carrier, and the carrier is a gum.

36. (NEW) A reducer of blood glucose level increase according to Claim 4, wherein the one or more components include a pharmaceutical ingredient, and the pharmaceutical ingredient is a vitamin.

37. (NEW) A reducer of blood glucose level increase according to Claim 5, wherein the one or more components include a carrier, and the carrier is a gum.

38. (NEW) A reducer of blood glucose level increase according to Claim 5, wherein the one or more components include a pharmaceutical ingredient, and the pharmaceutical ingredient is a vitamin.

39. (NEW) A reducer of blood glucose level increase according to Claim 6, wherein the one or more components include a carrier, and the carrier is a gum.

40. (NEW) A reducer of blood glucose level increase according to Claim 6, wherein the one or more components include a pharmaceutical ingredient, and the pharmaceutical ingredient is a vitamin.